




**MULHERN
BELTING, INC.**



Coal Feeder Belts

**2 Ply, 220 1/8" x 1/16" Feeder Belt, 1-1/2" Siped Flange Each Edge,
Modified D-Section Notched V-Guide Center Bottom**



Single-piece integral construction = Durability and accuracy

Molded notched vanner edge = Improves flexibility and weigh checking

Molded notched bottom v-guide = Guarantees accurate belt tracking

2-ply 220 1/8 X 1/16 carcass construction = Tough, dependable base belt

All Popular Widths Available In Grade II Compound

Splicing Options

Mechanical Fasteners = Quick changeouts

Rubber Covered/Hidden Fasteners = Smoother operation

Why Buy From Mulhern Belting?

- ✓ Proudly Distributor Driven
- ✓ Drop Ship Program
- ✓ Application Expertise
- ✓ Instant Communication
- ✓ Large In-house Inventory
- ✓ Competitive Pricing
- ✓ High Quality Product
- ✓ On Time Delivery

- * **Most coal fired utilities use belted coal feeders to convey coal from overhead storage bins into boilers below = Often totally enclosed & pressurized to prevent blowback from boilers**
- * **Gravimetric feeders deliver coal to the boiler based on weight or specific gravity = Enables precise measures to the amount of air while producing the maximum usable BTUs and minimizing heat loss and pollution**
- * **Belts inside feeders are precision parts, not general conveyors = Downtime here means costly power plant disruption**



**Modified Notched
D-Section V-guide
1.25" wide X .375" tall**



**DOWNTIME
COSTLY POWER
PLANT DISRUPTION**



**1.5" Tall, Notched
Vanner Edge**

800-253-6300
sales@mulhernbelting.com
www.mulhernbelting.com



Atlanta, GA • Fairfield, OH • Michigan City, IN • North Kansas City, MO • Oakland, NJ